

Example 1. Basic

```
<?php

$html = '
<h1><a name="top"></a>mPDF</h1>
<h2>Basic HTML Example</h2>
This file demonstrates most of the HTML elements.
<h3>Heading 3</h3>
<h4>Heading 4</h4>
<h5>Heading 5</h5>
<h6>Heading 6</h6>
<p>P: Nulla felis erat, imperdiet eu, ullamcorper non, nonummy quis, elit. Suspendisse potenti. Ut a
eros at ligula vehicula pretium. Maecenas feugiat pede vel risus. Nulla et lectus. Fusce eleifend
neque sit amet erat. Integer consectetur nulla non orci. Morbi feugiat pulvinar dolor. Cras odio.
Donec mattis, nisi id euismod auctor, neque metus pellentesque risus, at eleifend lacus sapien et
risus. Phasellus metus. Phasellus feugiat, lectus ac aliquam molestie, leo lacus tincidunt turpis, vel
aliquam quam odio et sapien. Mauris ante pede, auctor ac, suscipit quis, malesuada sed, nulla. Integer
sit amet odio sit amet lectus luctus euismod. Donec et nulla. Sed quis orci. </p>

<hr />

<div>DIV: Proin aliquet lorem id felis. Curabitur vel libero
at mauris nonummy tincidunt. Donec imperdiet. Vestibulum sem sem, lacinia vel, molestie et, laoreet
eget, urna. Curabitur viverra faucibus pede. Morbi lobortis. Donec dapibus. Donec tempus. Ut arcu enim,
rhoncus ac, venenatis eu, porttitor mollis, dui. Sed vitae risus. In elementum sem placerat dui. Nam
tristique eros in nisl. Nulla cursus sapien non quam porta porttitor. Quisque dictum ipsum ornare
tortor. Fusce ornare tempus enim. </div>
<div>DIV: Proin aliquet lorem id felis.
Curabitur vel libero at mauris nonummy tincidunt. Donec imperdiet. Vestibulum sem sem, lacinia vel,
molestie et, laoreet eget, urna. Curabitur viverra faucibus pede. Morbi lobortis. Donec dapibus. Donec
tempus. Ut arcu enim, rhoncus ac, venenatis eu, porttitor mollis, dui. Sed vitae risus. In elementum
sem placerat dui. Nam tristique eros in nisl. Nulla cursus sapien non quam porta porttitor. Quisque
dictum ipsum ornare tortor. Fusce ornare tempus enim. </div>

<blockquote>Blockquote: Maecenas arcu justo, malesuada eu, dapibus ac, adipiscing vitae, turpis. Fusce
mollis. Aliquam egestas. In purus dolor, facilisis at, fermentum nec, molestie et, metus. Maecenas
arcu justo, malesuada eu, dapibus ac, adipiscing vitae, turpis. Fusce mollis. Aliquam egestas. In
purus dolor, facilisis at, fermentum nec, molestie et, metus.</blockquote>

<address>Address: Vestibulum feugiat, orci at imperdiet tincidunt, mauris erat facilisis urna,
sagittis ultricies dui nisl et lectus. Sed lacinia, lectus vitae dictum sodales, elit ipsum ultrices
orci, non euismod arcu diam non metus.</address>

<pre>PRE: Cum sociis natoque penatibus et magnis dis parturient montes,
nascetur ridiculus mus. In suscipit turpis vitae odio. Integer convallis
dui at metus. Fusce magna. Sed sed lectus vitae enim tempor cursus. Cras
sed, posuere et, urna. Quisque ut leo. Aliquam interdum hendrerit tortor.
Vestibulum elit. Vestibulum et arcu at diam mattis commodo. Nam ipsum sem,
ultricies at, rutrum sit amet, posuere nec, velit. Sed molestie mollis dui.</pre>

<div><a href="#top">Hyperlink (&lt;a&gt;)</a></div>
<div><a href="http://www.pallcare.info">Hyperlink (&lt;a&gt;)</a></div>

<div>Styles - <tt>teletype</tt> <i>italic</i> <b>bold</b> <big>big</big> <small>small</small>
<em>emphasis</em> <strong>strong</strong> <br />new lines<br>
<code>code</code> <samp>sample</samp> <kbd>keyboard</kbd> <var>variable</var> <cite>citation</cite>
<abbr>abbr.</abbr> <acronym>ACRONYM</acronym> <sup>sup</sup> <sub>sub</sub> <strike>strike</strike>
<s>strike-s</s> <u>underline</u> <del>delete</del> <ins>insert</ins> <q>To be or not to be</q> <font
face="sans-serif" color="#880000" size="5">font changing face, size and color</font>
</div>
```

<p style="font-size:15pt; color:#440066">Paragraph using the in-line style to determine the font-size (15pt) and colour</p>

<h3>Testing BIG, SMALL, UNDERLINE, STRIKETHROUGH, FONT color, ACRONYM, SUPERScript and SUBScript</h3>

<p>This is <s>strikethrough</s> in <s>block</s> and <small>small <s>strikethrough</s> in <i>small span</i></small> and <big>big <s>strikethrough</s> in big span</big> and then <u>underline and <s>strikethrough and ^{sup}</s></u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</p>

<p>This is a green reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> then <s>Strikethrough reference³²⁻⁴⁷</s> and <s>strikethrough reference₃₂₋₄₇</s></p>

<p><big>Repeated in <u>BIG</u>: This is reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</big></p>

<p><small>Repeated in small: This is reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</small></p>

<p>The above repeated, but starting with a paragraph with font-size specified (7pt)</p>

<p style="font-size:7pt;">This is <s>strikethrough</s> in block and <small>small <s>strikethrough</s> in small span</small> and then <u>underline</u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</p>

<p style="font-size:7pt;">This is <s>strikethrough</s> in block and <big>big <s>strikethrough</s> in big span</big> and then <u>underline</u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</p>

<p style="font-size:7pt;">This is reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> then <s>Strikethrough reference³²⁻⁴⁷</s> and <s>strikethrough reference₃₂₋₄₇</s></p>

<p><small>This tests <u>underline</u> and <s>strikethrough</s> when they are <s><u>used together</u></s> as they both use text-decoration</small></p>

<p><small>Repeated in small: This is reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</small></p>

<p style="font-size:7pt;"><big>Repeated in BIG but with font-size set to 7pt by in-line css: This is reference³²⁻⁴⁷ and <u>underlined reference³²⁻⁴⁷</u> then reference₃₂₋₄₇ and <u>underlined reference₃₂₋₄₇</u> but out of span again but blue font and <acronym>ACRONYM</acronym> text</big></p>

Item <u>1</u>
Item 2³²
<small>Item</small> 3
Praesent pharetra nulla in turpis. Sed ipsum nulla, sodales nec, vulputate in, scelerisque vitae, magna. Sed egestas justo nec ipsum. Nulla facilisi. Praesent sit amet pede quis metus aliquet vulputate. Donec luctus. Cras euismod tellus vel leo.

Praesent pharetra nulla in turpis. Sed ipsum nulla, sodales nec, vulputate in, scelerisque vitae, magna. Sed egestas justo nec ipsum. Nulla facilisi. Praesent sit amet pede quis metus aliquet vulputate. Donec luctus. Cras euismod tellus vel leo.
Subitem 2

Level 3 subitem

Select

```
<select size="1" name="status"><option value="A">Active</option><option value="W" >New item from
auto_manager: pending validation</option><option value="I" selected="selected">Incomplete record -
pending</option><option value="X" >Flagged for Deletion</option> </select> followed by text
<br /><br />
```

Input Radio

[illegible]

Input Radio

[illegible]

Input Text

Input Password

```
<input type="password" size="40" name="password" value="secret">
<br /><br />
```

☐ Checkboxes

```
<input type="checkbox" name="QPA" value="0N" > Not selected<br>
```

```
<input type="checkbox" name="QLY" value="ON" checked="checked" > Selected<br>
```

```
<input type="checkbox" name="QLY" value="ON" disabled="disabled" > Disabled
```

>>

```
<input type="button" name="submit" value="Button" />
```

>

</form>

1.

//=====

//=====

//=====

```
include("../mpdf.php");
```

```
$mpdf=new mPDF();
```

```
$mpdf->WriteHTML($html);
```

```
$mpdf->Output();
```

```
exit;
```

//=====
 //=====
 //=====

?>